

Buttonderry Waste Management Facility – Surface Water Results

April 2019

No. samples required by EPL: 3 No. Samples collected: 3		Field Parameters							Inorganics					Alkalinity				Nutrients						Metals
		Depth to Groundwater	Dissolved Oxygen (Field)	Electrical Conductivity (Field)	Oxygen Redox Potential (Field)	pH (Field)	Temp (Field)	Turbidity (Field)	pH (Lab)	Electrical Conductivity (Lab)	BOD	TOC	Total Suspended Solids	Alkalinity (total) as CaCO3	Alkalinity (Bicarbonate as CaCO3)	Alkalinity (Carbonate as CaCO3)	Alkalinity (Hydroxide) as CaCO3	Ammonia as N	Nitrate (as N)	Nitrite (as N)	Nitrogen (Total Oxidised)	Reactive Phosphorus as P	Fluoride	Iron (total)
Field ID	Sampling Date	mBTOC	mg/L	uS/cm	mV	pH Units	oC	NTU	pH_Units	uS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
BTU	01/05/2019	-	1.98	161	6.83	77.1	22.7	46	6.94	310	-	42	-	<1	<1	60	60	0.44	<0.01	<0.01	<0.01	-	-	14.5
BTM	01/05/2019	-	1.65	450	6.67	85	20.2	13	7.31	524	-	4	-	<1	<1	48	48	0.06	0.25	<0.01	0.25	-	-	0.46
BTD	01/05/2019	-	6.56	330	8.73	130	15.2	10	7.33	492	-	5	-	<1	<1	49	49	0.06	0.14	<0.01	0.14	-	-	0.61