

Application for one-off Discharge of Liquid Trade Wastes into Council's Sewerage System



Details of Discharger

Business Trading Name				
Development Application No.	Lot No.	D.P.	Parcel No.	House No.
Street		Suburb		Postcode
Property Owner's Name		Telephone No.		email
Address				
Applicant's Name			Telephone No.	

Details of Proposed Discharge

Location of discharge to sewer	
Reason for discharge	
Estimated total volume to sewer (K/L)	
Instantaneous discharge rate to sewer (L/s)	
Significant pollutants and concentrations in the waste	
Period of discharge:	From To

System Analysis (to be completed by trade waste team)

Adequate carrier capacity
Adequate pumping station capacity
Adequate treatment capacity
Pollutants are acceptable for discharge
Refer to Council's Liquid Trade Waste Policy for the Liquid Trade Waste Quality Standards, which lists pollutants and their allowable limits



SUBSTANCES PROHIBITED FROM BEING DISCHARGED TO THE SEWERAGE SYSTEM

The following substances are prohibited from being discharged to the sewerage system:

- organochlorine weedicides, fungicides, pesticides, herbicides and substances of a similar nature and/or wastes arising from the preparation of these substances
- organophosphorus pesticides and/or waste arising from the preparation of these substances
- any substances liable to produce noxious or poisonous vapours in the sewerage system
- organic solvents and mineral oil
- any flammable or explosive substances
- discharges from 'Bulk Fuel Depots'
- chromate from cooling towers
- natural or synthetic resins, plastic monomers, synthetic adhesives, rubber and plastic emulsions
- rain, surface, seepage or subsoil water, unless specifically permitted
- solid matter
- any substance assessed as not suitable to be discharged to the sewerage system
- waste liquids that contain pollutants at concentrations which inhibit the sewage treatment process – refer *National Wastewater Source Management Guideline, July 2008, WSAA*
- any other substances listed in a relevant regulation.

Decision

Discharge of waste is **Approved** subject to the following:

Conditions:

Charges: _____

Testing: _____

Discharge is **Not Approved** for the following reasons:

The applicant should be aware that approval of this application does not constitute a guarantee of any future approval of a variation to the approval. This will be dependent on the available capacity of the sewerage system at that time and any future approval must not be assumed. However, alerting the Council to the applicant's future plans and proposals may assist the Council in planning future sewage management and / or infrastructure additions / modifications.

Signature of Trade Waste Officer

Position

Date

