Water Management Advisory Committee Meeting Agenda 30 June 2020



| Location: | Zoo | om Meeting | Time: | 4pm to 6pm | |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------|------------|------------|
| ITEM | | | | | |
| ltem 1 | Welcome, Acknowledgement of Country and Apologies | | | | 5 minutes |
| ltem 2 | Disclosures of Interest | | | | |
| ltem 3 | Confirmation of Previous Meeting Record <u>Attachment:</u> Draft Meeting Record 27 May 2020 <u>Attachment:</u> Action Log Update | | | | 5 minutes |
| ltem 4 | Council's Catchment Management Program Liz Knight – Section Manager Treatment Plants and Catchments, Jessica Preston – Catchment Management Officer | | | | 20 minutes |
| ltem 5 | LLS Role in Management of our Drinking Water Catchment (Action 17) David Green – Local Land Services (LLS) | | | | 20 minutes |
| ltem 6 | Environmental Protection Licence Non-Compliance Summary <u>Attachment</u> : to be provided Luke Drury – Section Manager Water Services and Design | | | | 15 minutes |
| ltem 7 | Water Supply System Status Report – June 2020 (Standing Item – Action 9) <u>Attachment:</u> Water Supply System Status Report Satpal Singh – Senior Engineer Water Resource Planning | | | | 15 minutes |
| Item 8 | Update on Water Resilience Works (Standing Item – Action 24) Attachment: to be provided Luke Drury – Section Manager Water Services and Design | | | 15 minutes | |
| Item 9 | Summary of Options being considered for Integrated Water Resource Plan (IWRP) (Action 23) Luke Drury – Section Manager Water Services and Design | | | 15 minutes | |
| ltem 10 | Draft Drinking Water Policy and Recycled Water Policy <u>Attachment</u> : Draft Drinking Water Quality Policy <u>Attachment</u> : Draft Recycled Water Quality Policy Jamie Loader – Director Water and Sewer | | | | 5 minutes |
| Item 11 | General Business and Close | | | 5 minutes | |